



McFeMn

Medium Carbon Ferro Manganese

Made to client's requirement. Available range shown below:

Product Specification & Typical Analysis

Element	Our Specification
Mn Total	78-83%
Silica as SiO ₂	1% Max
Carbon	1-1.5%
Sulphur	0.01% Max
Phosphorous	0.15% Max

Size: 10-50mm, Or as specified by the client

Technical Data:

Density : 7.4 g/cm³

Melting range: 1230°C – 1260°C

Production Capacity: 1000 MT/Month

Packaging: MCFeMn is usually delivered as bulk. Packing in big bags and other packaging is on request.

- By adding the manganese as MC / LCFeMn instead of HCFeMn, approximately 80 % to 93 % less carbon is added to the steel.